



山东汇亿莱国际贸易有限公司

SHANDONG HUIYILAI INTERNATIONAL TRADE CO., LTD.

地址：山东省诸城市密州东路85号

Add: ZHUCHENG E - COMMERCE BUSINESS PARK , NO .85, MIZHOU EAST ROAD ,
MIZHOU SUB - DISTRICT , ZHUCHENG CITY , WEIFANG CITY ,
SHANDONG PROVINCE CHINA

Tel:19577765737

Web: www.huiyilai.com

E-mail: melodyguo@huiyilaexport.com

SHANDONG HUIYILAI INTERNATIONAL TRADE CO., LTD.

Supplier of complete set of hot
kitchen processing equipment

全套热厨加工设备供应商



+86 195 7776 5737
[HTTP://www.huiyilai.com](http://www.huiyilai.com)

E-mail:
melodyguo@huiyilaexport.com



BRIEF INTRODUCTION

山东汇亿莱国际贸易有限公司成立于2023年，是一家集生产加工、销售、贸易为一体的民营企业。公司坐落于被誉为中国“恐龙之乡”的诸城市，是山东半岛南部沿海开放城市之一。毗邻青岛经济技术开发区，东距青岛港100公里，南距日照港70公里，地理位置优越，交通运输便捷。为我们在安排运输和争取优势价格方面带来了很大的便利。我们相信质量、服务和价格是我们高效工作的有力保证。

我公司专业从事果蔬及肉类清洗及加工设备；巴氏杀菌设备；盒式气调真空包装机；连续式滚动包装机；贴体包装机；全自动拉伸膜真空包装机及其它食品相关设备等的开发，设计、制造及国内外销售。

公司以国际贸易为主导，在不间断的国际贸易活动中，我们对产品以及市场的发展有了充分的认识。利用我们自身丰富的经验，我们与世界各地的客户建立了良好的合作关系。我们的主要市场是北美洲、大洋洲、日本、韩国、中东以及中亚等地区。

我们的宗旨是：“用服务与真诚来换取你的信任与支持，互惠互利，共创双赢！”

我公司愿与国内外各界同仁志士竭诚合作，共创未来！

Shandong Huiyilai International Trade Co., Ltd. was founded in 2023, is a collection of production and processing, sales, trade as one of the private enterprises. The company is located in Zhucheng City, which is known as the "Hometown of Dinosaurs" in China, and is one of the open coastal cities in the south of Shandong Peninsula. Adjacent to Qingdao Economic and Technological Development Zone, 100 kilometres from Qingdao Port in the east and 70 kilometres from Rizhao Port in the south, the company has a superior geographical position and convenient transportation. It brings us great convenience in arranging transport and getting advantageous price. We believe that quality, service and price are the strong guarantee for our efficient work.

Our company specializes in the development, design, manufacture and domestic and international sales of all kinds of fruit, vegetable and meat cleaning and processing equipment; pasteurization equipment; box-type air-conditioned vacuum packaging machine; continuous rolling packaging machine; sticker packaging machine; automatic stretch film vacuum packaging machine and other food related equipment and so on.

Our company is dominated by international trade, and in the uninterrupted international trade activities, we have a full understanding of the products as well as the development of the market. Utilising our own rich experience, we have established good relationships with customers all over the world. Our main markets are North America, Oceania, Japan, Korea, the Middle East and Central Asia and so on.

Our tenet is: "Exchange your trust and support with service and sincerity, mutual benefit and create a win-win situation!"

Our company is willing to cooperate with domestic and foreign colleagues from all walks of life to create a better future!

Commercial Cake Press Machine

压饼机

PERFORMANCE BENEFITS 性能优点

1. Replacing manual rolling cakes greatly saves manpower and financial resources.
 2. High production capacity, with an hourly output of 400-1500 sheets/hour that can be customized according to production needs.
- 1.代替手工擀饼，大大节省了人力财力。
2.产量高，时产达到400-1500张/小时 可根据产量需求定制。

SCOPE OF APPLICATION 适用范围

Different materials can be used to press different pancakes, the latter being thick pancakes, such as: roast duck cake, Spring rolls cake, lotus leaf cake, Chaotian pot pancakes, egg cake, egg filling cake, braised meat pancakes, water steamed buns, spicy string pancakes, coarse grain pancakes, thousand layer pancakes, large pancakes, pancakes, single pancakes, silk pancakes and other round square pancakes processing equipment.

原料不同，可压制不同的薄饼后者厚饼，例如：烤鸭饼，春卷饼，荷叶饼，朝天锅卷饼，鸡蛋饼，鸡蛋灌饼，卤肉卷饼，水烙馍，麻辣串卷饼，杂粮烙馍，千层饼，大饼，烙馍，单饼及加工成丝饼等各种圆形、方形薄饼加工设备。



型号Model	YXJ-200	YXJ-250	YXJ-300	YXJ-350	YXJ-400	YXJ-450	YXJ-500	YXJ-600	YXJ-700	YXJ-800
压饼尺寸Cake size	160x0.4mm	210x0.4mm	260x0.4mm	310x0.4mm	360x0.4mm	410x0.4mm	460x0.4mm	560x0.4mm	650x0.4mm	760x0.4mm
加热温度heating temperature	0-300℃	0-300℃	0-300℃	0-300℃	0-300℃	0-300℃	0-300℃	0-300℃	0-300℃	0-300℃
加热时间heating time	0-9秒 (可调)	0-9秒 (可调)	0-9秒 (可调)	0-9秒 (可调)	0-9秒 (可调)	0-9秒 (可调)	0-9秒 (可调)	0-9秒 (可调)	0-9秒 (可调)	0-9秒 (可调)
工作效率work efficiency	1000张/小时	1000张/小时	800张/小时	1000张/小时	1000张/小时	500张/小时	400张/小时	300张/小时	300张/小时	300张/小时
外形尺寸External dimensions	650x450x1350	650x450x1350	650x450x1400	680x560x1450	750x630x1450	750x650x1450	850x730x1500	980x850x1600	1080x960x1600	1460x1200x1600


加热温度 加热时间 饼厚薄尺寸可调，机器YXJ-200; YXJ-250; YXJ-300; YXJ-350这四个型号可以做气动也可以做液压控制，气动型客户需要另配气泵，YXJ-400及以上型号均做液压控制。

Multi-claw stirring frying pan (gas/electromagnetic) 多爪搅拌炒锅(燃气/电磁)

PERFORMANCE BENEFITS 性能优点

1. Multi claw planetary stirring frying pan series products adopt stainless steel pot body. All parts and components in contact with food are made of stainless steel and polished.
2. The mixing system adopts the combination of rotation and revolution, and its transmission ratio is not an integer transmission ratio to ensure that there is no mixing dead point in the pot.
3. The automatic / hydraulic type of multi claw planetary stirring frying pan series equipment uses hydraulic thrust to turn over the mixing arm without disassembling the mixer, and then uses hydraulic thrust to turn over the pan body, which is easy to get in and out of raw materials and save manpower.
4. The non frequency conversion governor can mix and heat the high viscosity products evenly and improve the heat. It has the characteristics of easy operation, high working efficiency, low energy consumption, long service life, compact structure and convenient maintenance.

- 1、多爪行星搅拌炒锅系列产品采用不锈钢锅体，凡与食品接触的零、部件均采用不锈钢材料制造并进行抛光处理。
- 2、搅拌系统采用自转公转相结合的方式其传动比为不整数传动比，保证锅内无搅拌死点。
- 3、多爪行星搅拌炒锅系列设备自动/液压型是利用液压推力使搅拌臂翻转，免拆装搅拌器，再利用液压推力倾翻锅体，易于进出原料节省人力。
- 4、采用无变频调速器能将高粘度产物混合均匀加热提高热量，具有易于操作，工作效率高，耗能低，使用寿命长，结构紧凑，维修方便等特点，性能优良。



SCOPE OF APPLICATION 适用范围

Stirring and heating to adapt to a variety of high viscosity sauce: stir frying fillings (jam, Lian Rong, bean paste, fruit paste, candied fruit, jujube paste), meat cooked food processing industry (meat, beef sauce, seafood sauce), condiment industry (Hot pot bottom material, instant noodles sauce, curry sauce), candy (jam, sugar industry), vegetable corn processing industry (letinous edodes sauce, chili sauce), hotel supplies and food (canteen soup, cook, stew, Ao Zhou) and other food processing industry.

适应于各种高粘度酱料的搅拌加热炒制：馅料炒制（果酱、莲蓉、豆沙、水果蓉、蜜饯、枣泥）、肉制品熟食加工业（肉酱、牛肉酱、海鲜酱）、调味品业（火锅底料、方便面酱料、咖喱酱）、糖果业（果酱、糖料）、蔬菜玉米加工业（香菇酱、辣椒酱）、酒店用品及快餐（食堂熬汤、烧菜、炖肉、熬粥）等食品加工业。





Electromagnetic Heating Planetary Wok With Low Discharge 电磁加热低位出料行星炒锅

SCOPE OF APPLICATION 适用范围

Stirring and heating to adapt to a variety of high viscosity sauce: stir frying fillings (jam, Lian Rong, bean paste, fruit paste, candied fruit, jujube paste), meat cooked food processing industry (meat, beef sauce, seafood sauce), condiment industry (Hot pot bottom material, instant noodles sauce, curry sauce), candy (jam, sugar industry), vegetable corn processing industry (letinous edodes sauce, chili sauce), hotel supplies and food (canteen soup, cook, stew, Ao Zhou) and other food processing industry.

适用于各种高粘度酱料的搅拌加热炒制：馅料炒制（果酱、莲蓉、豆沙、水果蓉、蜜饯、枣泥）、肉制品熟食加工业（肉酱、牛肉酱、海鲜酱）、调味品业（火锅底料、方便面酱料、咖喱酱）、糖果业（果酱、糖料）、蔬菜玉米加工业（香菇酱、辣椒酱）、酒店用品及快餐（食堂熬汤、烧菜、炖肉、熬粥）等食品加工业。

Electric heating heat transfer oil fully automatic low level discharge frying pan 电磁加热高位出料行星炒锅

SCOPE OF APPLICATION 适用范围

Stirring and heating to adapt to a variety of high viscosity sauce: stir frying fillings (jam, Lian Rong, bean paste, fruit paste, candied fruit, jujube paste), meat cooked food processing industry (meat, beef sauce, seafood sauce), condiment industry (Hot pot bottom material, instant noodles sauce, curry sauce), candy (jam, sugar industry), vegetable corn processing industry (letinous edodes sauce, chili sauce), hotel supplies and food (canteen soup, cook, stew, Ao Zhou) and other food processing industry.

适用于各种高粘度酱料的搅拌加热炒制：馅料炒制（果酱、莲蓉、豆沙、水果蓉、蜜饯、枣泥）、肉制品熟食加工业（肉酱、牛肉酱、海鲜酱）、调味品业（火锅底料、方便面酱料、咖喱酱）、糖果业（果酱、糖料）、蔬菜玉米加工业（香菇酱、辣椒酱）、酒店用品及快餐（食堂熬汤、烧菜、炖肉、熬粥）等食品加工业。





Steam Heated Planetary Stir Frying Pan 蒸汽加热行星搅拌炒锅

SCOPE OF APPLICATION 适用范围

Stirring and heating to adapt to a variety of high viscosity sauce: stir frying fillings (jam, Lian Rong, bean paste, fruit paste, candied fruit, jujube paste), meat cooked food processing industry (meat, beef sauce, seafood sauce), condiment industry (Hot pot bottom material, instant noodles sauce, curry sauce), candy (jam, sugar industry), vegetable corn processing industry (letinous edodes sauce, chili sauce), hotel supplies and food (canteen soup, cook, stew, Ao Zhou) and other food processing industry.

适用于各种高粘度酱料的搅拌加热炒制：馅料炒制（果酱、莲蓉、豆沙、水果蓉、蜜饯、枣泥）、肉制品熟食加工业（肉酱、牛肉酱、海鲜酱）、调味品业（火锅底料、方便面酱料、咖喱酱）、糖果业（果酱、糖料）、蔬菜玉米加工业（香菇酱、辣椒酱）、酒店用品及快餐（食堂熬汤、烧菜、炖肉、熬粥）等食品加工业。



Gas Heated Planetary Stir Frying Pan 燃气加热行星搅拌炒锅

SCOPE OF APPLICATION 适用范围

Stirring and heating to adapt to a variety of high viscosity sauce: stir frying fillings (jam, Lian Rong, bean paste, fruit paste, candied fruit, jujube paste), meat cooked food processing industry (meat, beef sauce, seafood sauce), condiment industry (Hot pot bottom material, instant noodles sauce, curry sauce), candy (jam, sugar industry), vegetable corn processing industry (letinous edodes sauce, chili sauce), hotel supplies and food (canteen soup, cook, stew, Ao Zhou) and other food processing industry.

适用于各种高粘度酱料的搅拌加热炒制：馅料炒制（果酱、莲蓉、豆沙、水果蓉、蜜饯、枣泥）、肉制品熟食加工业（肉酱、牛肉酱、海鲜酱）、调味品业（火锅底料、方便面酱料、咖喱酱）、糖果业（果酱、糖料）、蔬菜玉米加工业（香菇酱、辣椒酱）、酒店用品及快餐（食堂熬汤、烧菜、炖肉、熬粥）等食品加工业。



Automatic Basket Turning And Blanching Pot

侧翻式漂烫卤煮锅

SCOPE OF APPLICATION 适用范围

It is suitable for marinated meat, pickled vegetables, marinated duck head, duck neck, marinated eggs in large food factories; blanching vegetables and fruits to kill green; blanching cattle and mutton to remove blood; precooking and fresh keeping of seafood; it can also be used as frying pan and steaming pan, with one key turning the basket to discharge materials, saving time, effort and worry!


适用于大型食品厂卤肉、卤菜、卤鸭头、鸭脖，卤蛋；蔬菜、水果的焯水杀青，牛、羊肉的漂烫祛血水，海鲜类的预煮保鲜；还可作油炸锅和蒸煮锅使用，一键翻筐出料，省时省力更省心！

Electromagnetic Heating Pressure Cooker 压力蒸煮锅

SCOPE OF APPLICATION 适用范围

The high-temperature pressure cooker is widely used in the rapid heating of big bone soup, stewed beef, beef tripe, salted duck egg, zongzi, stewed duck, stewed pig's feet, spiced crisp fish, corn and soybean. It can also be used in the dairy industry, pharmaceutical, chemical, beverage and other large industrial departments as heating, heat preservation, concentration and other processes.

高温压力锅广泛应用于大骨熬汤、卤牛肉，煮牛肚、煮咸鸭蛋，煮粽子，卤鸭，卤猪蹄，五香酥鱼、玉米黄豆的快速加热。也可用于乳制品行业、制药、化工、饮料等大型工业部门，作为加热、保温、浓缩等工艺的使用。



Jacketed Kettle/ Cooking Pot Products

夹层锅/炒锅系列

SCOPE OF APPLICATION 适用范围

Steam pot and sandwich pot, pot. Steam pot is widely used in candy, pharmacy, dairy products, alcohol, cakes, candied fruit, beverage, canned, braised food such as food processing, can also be used in large restaurant or dining room to boil soup, cook, stew, boil congee, etc., but also by filling paste production, meat cooked food, spices and other processing industry, food processing and improve quality, shorten time, improve the working conditions of good equipment.

蒸汽夹层锅又名夹层蒸汽锅、夹层锅。蒸汽夹层锅广泛应用于糖果、制药、乳品、酒类、糕点、蜜饯、饮料、罐头、卤味等食品的加工，也可用于大型餐厅或食堂熬汤、烧菜、炖肉、熬粥等，更是备受馅料酱生产业、肉制品熟食业、调味品业等加工业的青睐，是食品加工提高质量、缩短时间、改善劳动条件的良好设备。




型号Model	JC-100	JC-200	JC-300	JC-400	JC-500	JC-600
容积 (升) cubage	100L	200L	300L	400L	500L	600L
内径diameter (mm)	700	800	900	1000	1100	1200
设计压力Design pressure	0.35Mpa					
试验压力Experiment pressure	0.44Mpa					
最高温度Highest temperature	147℃					
材质Material	SUS304/Q235B					



Steam vertical jacketed kettle
蒸汽立式夹层锅



Steam tilting stirred jacketed kettle
蒸汽可倾搅拌夹层锅



Gas tilting jacketed kettle
燃气可倾夹层锅



Tilting type gas stirring sandwich pot
燃气可倾拌夹层锅



Electric heating pad sandwich pot
电磁可倾夹层锅



Tilting type electric heating stirring sandwich pot
电磁可倾拌夹层锅