



山东汇亿莱国际贸易有限公司

SHANDONG HUIYILAI INTERNATIONAL TRADE CO., LTD.

地址：山东省诸城市密州东路85号

Add: ZHUCHENG E - COMMERCE BUSINESS PARK , NO .85, MIZHOU EAST ROAD ,
MIZHOU SUB - DISTRICT , ZHUCHENG CITY , WEIFANG CITY ,
SHANDONG PROVINCE CHINA

Tel:19577765737

Web: www.huiyilai.com

E-mail: melodyguo@huiyilaexport.com

股份/方页/品牌 0536-6188961

SHANDONG HUIYILAI INTERNATIONAL TRADE CO., LTD.

Supplier of complete meat
processing equipment

全套肉类加工装备供应商



+86 195 7776 5737
[HTTP://www.huiyilai.com](http://www.huiyilai.com)

E-mail:
melodyguo@huiyilaexport.com



BRIEF INTRODUCTION

山东汇亿莱国际贸易有限公司成立于2023年，是一家集生产加工、销售、贸易为一体的民营企业。公司坐落于被誉为中国“恐龙之乡”的诸城市，是山东半岛南部沿海开放城市之一。毗邻青岛经济技术开发区，东距青岛港100公里，南距日照港70公里，地理位置优越，交通运输便捷。为我们在安排运输和争取优势价格方面带来了很大的便利。我们相信质量、服务和价格是我们高效工作的有力保证。

我公司专业从事果蔬及肉类清洗及加工设备；巴氏杀菌设备；盒式气调真空包装机；连续式滚动包装机；贴体包装机；全自动拉伸膜真空包装机及其它食品相关设备等的开发，设计、制造及国内外销售。

公司以国际贸易为主导，在不间断的国际贸易活动中，我们对产品以及市场的发展有了充分的认识。利用我们自身丰富的经验，我们与世界各地的客户建立了良好的合作关系。我们的主要市场是北美洲、大洋洲、日本、韩国、中东以及中亚等地区。

我们的宗旨是：“用服务与真诚来换取你的信任与支持，互惠互利，共创双赢！”

我公司愿与国内外各界同仁志士竭诚合作，共创未来！

Shandong Huiyilai International Trade Co., Ltd. was founded in 2023, is a collection of production and processing, sales, trade as one of the private enterprises. The company is located in Zhucheng City, which is known as the "Hometown of Dinosaurs" in China, and is one of the open coastal cities in the south of Shandong Peninsula. Adjacent to Qingdao Economic and Technological Development Zone, 100 kilometres from Qingdao Port in the east and 70 kilometres from Rizhao Port in the south, the company has a superior geographical position and convenient transportation. It brings us great convenience in arranging transport and getting advantageous price. We believe that quality, service and price are the strong guarantee for our efficient work.

Our company specializes in the development, design, manufacture and domestic and international sales of all kinds of fruit, vegetable and meat cleaning and processing equipment; pasteurization equipment; box-type air-conditioned vacuum packaging machine; continuous rolling packaging machine; sticker packaging machine; automatic stretch film vacuum packaging machine and other food related equipment and so on.

Our company is dominated by international trade, and in the uninterrupted international trade activities, we have a full understanding of the products as well as the development of the market. Utilising our own rich experience, we have established good relationships with customers all over the world. Our main markets are North America, Oceania, Japan, Korea, the Middle East and Central Asia and so on.

Our tenet is: "Exchange your trust and support with service and sincerity, mutual benefit and create a win-win situation!"

Our company is willing to cooperate with domestic and foreign colleagues from all walks of life to create a better future!



Vacuum Tumbler 真空滚揉机

PERFORMANCE BENEFITS 性能优点

Vacuum tumbler uses the principle of physical impact to make meat pieces or meat stuffing turn up and down in the drum under vacuum state, so as to achieve massage and pickling effect; The pickling solution is fully absorbed by the meat, enhances the binding force and water retention of the meat, and improves the elasticity and yield of the product; The whole machine is made of SUS304 stainless steel with elliptical head, reasonable structure, large rolling space, stable operation, low noise, reliable performance, simple operation and high efficiency; The paddle blade is arc-shaped with unique design, which makes the pickle evenly distributed and does not cause damage to the surface of the product, thus improving the tenderness and appearance of the product.

真空滚揉机是在真空状态下，利用物理冲击原理，让肉块或肉馅在滚筒内上下翻动，从而达到按摩、腌渍作用；

腌渍液被肉充分吸收，增强肉的结合力和保水性，提高产品弹性及出品率；

本机采用SUS304不锈钢制作，椭圆形封头，结构合理，滚揉空间大，运行平稳、噪音小，性能可靠、操作简便、设备使用效率高；

桨叶圆弧形，设计独特，使腌料分布均匀，对产品表层不造成伤害，使产品的柔嫩性和外观得到提高。

Hydraulic Pressure Vacuum Tumbler 液压真空滚揉机

PERFORMANCE BENEFITS 性能优点

The whole machine is made of SUS304 stainless steel, the bottom of which is made of spinning type sealing cap to increase the beating space in the drum, and the top adopts conical tank body, so that the rolling and kneading product has uniform effect, low noise, reliable performance, simple operation and higher efficiency; Inclined drum, with greater loading capacity, can automatically turn over the inclined discharge, can be loaded with external hoist; It adopts frequency conversion speed regulation, PLC automatic control, touch screen digital display function, with vacuum degree, running time, speed and revolution display, which can be adjusted in real time.

本机采用SUS304不锈钢制作，底部采用旋压式封帽，增大滚筒内的摔打空间，顶部采用锥形罐体，使滚揉产品的效果均匀、噪音小、性能可靠、操作简便、使用效率更高；

倾斜式滚筒，具有更大的装载能力，能自动翻转倾斜出料，可配套液压提升机上料；

采用变频调速、PLC自动控制、触摸屏数显功能，具有真空度、运行时间、转速及转数显示，可实时进行调整。





Meat Grinder 冻肉绞肉机

PERFORMANCE BENEFITS 性能优点

Versatility for a wide range, high production efficiency;
Has the function of frozen ground meat, saving time, effort,
fresh and good quality;
Twist cut process with short, low temperature, conducive to
preservation, to extend shelf life;
Reversible features that make the meat grinder blocked the
possibility of zero;
A variety of orifice combination is more suitable for the
requirements of different meat products.

通用性好、适用范围广、生产效率高；
具有冻肉绞肉功能，省时、省力、保鲜、保质；
绞切过程用时短、温升低，利于保鲜，延长保质期；
正反转功能，使绞肉机阻塞可能性为零；
多种孔板组合，更适合不同肉制品的要求。

High Speed frequency Conversion Chopper 高速变频斩拌机

PERFORMANCE BENEFITS 性能优点

Chopper is an important equipment for extracting salt soluble protein in meat processing. Its function is to quickly extract protein and coagulate the protein and water in raw material into glue at 2 ~ 8 °C to form viscous emulsion. The principle is to cut the meat in a variable speed disc pot with 6 knives installed on the high-speed rotating shaft. Its extraction capacity of salt soluble protein is beyond the reach of other equipment. A good chopper can extract salt soluble protein up to 68%.

斩拌机是肉类加工中萃取盐溶性蛋白的重要设备，它的作用就是快速地提取蛋白并将蛋白和原料中的水在2~8℃时凝结成胶，形成粘稠的乳化物。该原理是通过装在高速转轴上的6把刀，在可变速的圆盘锅内对肉料进行高速斩切。它对盐溶性蛋白的提取能力是其它设备无法企及的，好的斩拌机对盐溶性蛋白的提取能力可达68%。





Saline Injection Machine 盐水注射机(可带骨注射)

PERFORMANCE BENEFITS 性能优点

Saline injection machine saline injected into the meat fully preserved, make the meat tender, soft, and improve meat quality and production rate;
According to different process requirements, adjust the stepping speed, stepping distance, the pressure of the meat plate gap and the injection pressure, and the pickling liquid evenly and continuously injected into the meat to achieve the best injection;
This machine is made of SUS304 stainless steel. It is reasonable in design, rigorous in structure, convenient in operation and cleaning. It is equipped with automatic protection device. When the injection needle touches hard objects, the injection needle will lift up without damage.

盐水注射机是将盐水注入肉中充分腌渍，能使肉质嫩化、松软，提高了肉制品的品味和出品率；
可根据不同工艺要求，调整步进速度、步进距离、压肉板间隙及注射压力，将腌渍液均匀连续地注入肉中，达到最理想的注射效果；

本机采用SUS304不锈钢制作，设计合理、结构严谨、操作清洗方便，设有自动保护装置，当注射针碰到硬物时注射针随之抬起，不受损坏。

Double Twisted Dragon/ vacuum Mixer 双绞龙/真空搅拌机

PERFORMANCE BENEFITS 性能优点

Automatic discharge, lower labor intensity;
The unique rotating teeth arranged in the form of cross-impeller type, more suitable for mixed with drier material, so that more uniform material mixing, loading capacity more;
The gap between the impeller side of the hopper is 5mm, the mixing is more uniform, and no dead ends;
The unique three-layer sealed to protect the equipment last longer, cleaning more convenient.

设有自动出料装置，降低劳动强度；
独有的旋齿排列形式，叶轮交叉式，更适合拌较干物料，使物料混合更均匀，单次装料量更多；
叶轮边和料斗间的间隙是5mm，搅拌更为均匀，没有死角；
独有的三层密封保护使设备使用寿命更长，清洗更方便。





Fresh Meat Shredder / slicer 鲜肉切丝/片机

SCOPE OF APPLICATION 适用范围

Suitable for all kinds of boneless meat and similar pickles and other elastic food, directly into silk or flake.

Note: machine products can be customized according to customer needs.

适用于各无骨肉类及类似榨菜等富有弹性的食物，直接成丝或片状。

注：机器产品可根据客户需求量身定制。



Sausage Machine 灌肠机

PERFORMANCE BENEFITS 性能优点

304 high quality stainless steel material, reliable and durable, easy to clean, in line with food safety requirements;
Piston type hydraulic drive is adopted. Under the action of the hydraulic cylinder, the material in the cylinder will be extruded after the pressure is generated after the working pressure is adjusted. It is suitable for a wide range of materials, especially for the dry filling. Compared with other enema machines, the efficiency is better;
The overall structure of the equipment is reasonable, the appearance is beautiful, the performance is stable, the operation is simple and the cleaning is convenient.

采用304优质不锈钢材质，可靠耐用，便于清洗，符合食品安全要求；
采用活塞式液压驱动，调准工作压力后在液压缸的作用下，使筒内的物料产生压力后将料挤出，适用物料范围较广，尤其对较干的料馅相对其他灌肠机效率更佳；
设备整体结构合理、造型美观、性能稳定、操作简单、清洗方便。

SCOPE OF APPLICATION 适用范围

This machine can be used to make all kinds of sausage, such as ham sausage, meat mud sausage, popular sausage, red sausage, vegetable sausage, powder sausage and Songjiang sausage.

本机可灌制各种肠类，如火腿肠、肉泥肠、大众肠、红肠、菜肠、粉肠及松江肠等。

Machine For Sawing Bones 锯骨机

PERFORMANCE BENEFITS 性能优点

The whole machine adopts 304 stainless steel, plane body, special surface treatment, smooth interior, easy to clean.

The design protection grade is IP65, which can be cleaned by high pressure water gun.

High precision design and processing make high speed saw cutting more stable.

The saw band is tensioned by industrial air spring floating support, which can make the tension of the saw blade adjust to the best state.

The guide block is made of tungsten steel and copper alloy, with high wear resistance and self-lubricating performance, which improves the sawing stability.

The cutting speed of the saw blade can be adjusted to meet the requirements of customers for cutting different food materials.

Up and down adjustable saw belt protection cover, with safety push rod design, improve work safety.

全机采用304不锈钢，平面式机身，表面特殊处理，内部平滑，便于清洁。

设计防护等级IP65，可使用高压水枪清洗。

高精设计、加工使高速锯切割更平稳。

锯带采用工业气弹簧浮动支撑张紧，能使锯条张力调到最佳状态。

导向块采用钨钢和铜合金制成，高耐磨性兼具自润滑性能，提高锯切稳定性。

锯条切割速度可调整，可以满足客户切割不同食材的要求。

上下升降可调锯带保护罩，另附安全推杆设计，提高工作安全性。

门盖装安全开关，安全性高。






Multifunctional Meat Cutter 多功能切肉机

PERFORMANCE BENEFITS 性能优点

The whole machine body is made of high-quality stainless steel, and the thickness of steel plate is 3mm.
Surface polishing and wire drawing.
The optimized sanitary design is adopted to facilitate cleaning.
The machine blade is made of stainless steel with special quenching process.
Using a sharp blade to cut the first time and the second time is very good for cutting the shape of braised meat.
Cutting speed block, good molding effect.
Quick detachable knife group design, replacement knife group can cut bone birds.

整部机体采用优质不锈钢制作，钢板厚度3mm。
表面抛光拉丝处理。
采用优化卫生设计，方便清洗。
机器刀片为不锈钢材料，特殊淬火工艺。
利用锋利刀片将鲜肉第一次开条、第二次切块，对于切割红烧肉块形状效果非常好。
切割速度快，成型效果好。
快拆式刀组设计，更换刀组可切带骨禽类。



Cooked Meat Slicer 熟肉切片机

SCOPE OF APPLICATION 适用范围

This machine is suitable for slicing barbecued pork, stewed pork, pig's scalp, pig's ears, beef tripe, fat sausage, sauce beef, etc; It is suitable for industrial and various types of meat processing plants, large canteens and other cooked meat production process.

本机适用于叉烧肉、卤味、猪头皮、猪耳朵、牛肚、肥肠、酱牛肉等切成条、片状；
适合工业化及各种类型的肉类食品加工厂、大型食堂等熟肉生产工艺流程。



Frozen Meat Dicer 冻肉切丁机

PERFORMANCE BENEFITS 性能优点

The structure of the cutter is compact, and the optimized sanitary design is adopted.
The shell and cutter grid are made of stainless steel.
The cutter adopts double edge cutting, with high efficiency.
The minimum size of diced meat is 3mm and the maximum size is 30mm.
By adjusting the thickness cutting knob, the push rod can be stepless adjusted to meet the requirements of different cutting thickness.
The pre pressure design is adopted to ensure the uniformity of diced meat in the cutting process.
When cutting with single edge, the push rod moves step by step to ensure the correct cutting size.

切丁、切丝机结构紧凑，采用优化卫生设计。
机壳，切割刀栅均采用不锈钢材料制成。
切刀采用双刃切割，工作效率高。
切割的肉丁规格最小3mm，最大30mm。
调整厚度切割旋钮，可对推杆进行无级调速，以满足不同切割厚度的要求。
采用了预压力设计，保证在切割过程中肉丁块状均匀。
单刃切割时，肉料推杆作步进运动，保证切割尺寸正确。





250 Automatic Meat Slicer 250全自动砍排机

PERFORMANCE BENEFITS 性能优点

It is used to slice frozen meat, strips, bacon, sausage, etc.
The cutting thickness is set by digital, and the thickness is accurate.
Split function can meet the user's requirements of small packaging.

用于将冷冻的肉块、排条、腊肉、香肠等切成片。
切割厚度由数字化设定，厚度准确。
分份功能可满足用户小包装的要求。



Meat Slicer 砍排机

PERFORMANCE BENEFITS 性能优点

The whole body is made of SUS304 stainless steel, which meets the requirements of food grade hygiene.
Safe and reliable protection performance: the equipment is equipped with three layers of protection (big knife lock, cutting door and material door induction switch).
Humanized design of feeding system and grab structure, automatic reset structure.
The forward distance of the propulsion device is controlled by the display screen to adjust the thickness of the cutting material.
The design of screw structure reduces the stagnation rate of propulsion and improves the production efficiency and quality.
Meat can be fed step by step, which can maximize the cutting accuracy in the cutting process.
The machine is equipped with flat cutter or serrated cutter, which can cut meat with bone.

整机身均为 SUS304 不锈钢制成，符合食品级卫生要求。
安全可靠的防护性能：设备配置三层防护（大刀锁，切割仓大门与料门感应开关）。
人性化设计进料系统和抓具结构，自动复位结构。
通过显示屏控制推进装置的前进距离以调整切割物料的厚度。
丝杆结构的设计降低了推进停滞率，提高生产效率及生产质量。
肉料可步进进料，可最大限度地提高在切割过程中的切割精度。
机器装配平切刀或者锯齿切刀，锯齿切刀可切割带骨的肉类。



Multi Function Vegetable Chopper 多功能切菜机

PERFORMANCE BENEFITS 性能优点

The frame is made of SUS304 stainless steel, durable.
There is a micro switch at the discharge port for safe operation.
Using PLC control system, the operation is more convenient and the cutting size is more accurate.
The belt is easy to remove and clean.
It can cut all kinds of vegetables.

机台骨架均为 SUS304 不锈钢材质，经久耐用。
出料口处有微动开关，操作安全。
采用 PLC 控制系统，操作更加便捷，切割尺寸更精准。
皮带拆卸清洗方便快捷。
可切各种蔬菜。

